



Siding (continued)

Vinyl Carpentry® Soffit & Vertical Siding


MainStreet™




Wolverine American Legend™



Encore™




Chamfer Board™




Beaded Triple 2"




Triple 3 1/3"




Perimeter Triple 3 1/3"




Ironmax™ Double 5"



Universal Soffits



Value Soffits



PROFILES	Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard Double 4" Woodgrain Dutchlap Double 5" Woodgrain Dutchlap Triple 3" Brushed Clapboard Single 8" Woodgrain Clapboard Single 6-1/2" Brushed Beaded	Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard Double 4-1/2" Woodgrain Dutchlap	Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard Double 4-1/2" Woodgrain Dutchlap	Double 5" Soffit/ Vertical Solid Brushed	Triple 2" Soffit/Vertical Wainscot Design Solid and Invisibly Vented * Smooth	Triple 3-1/3" Soffit/Vertical Solid and InvisiVent ** Matte	Triple 3-1/3" Soffit/Vertical Solid and Hidden Vent* Matte	Double 5" Soffit/Vertical Solid and Fully Vented * Woodgrain	Triple 4" Soffit/Vertical Solid, Fully Vented * and Center Vented * Matte Double 5" Soffit Only Solid, Fully Vented * Woodgrain	Triple 4" Soffit Solid, Fully Vented * and Center Vented * Matte Double 5" Soffit Solid and Fully Vented * Matte
PANEL PROJECTION	9/16"	9/16"	1/2"	9/16"	3/8"	3/4"	5/8"	9/16"	7/16"	7/16"
WALL THICKNESS (Nominal)	.042"	.042"	.040"	.044"	.039"	.044"	.040"	.046"	.040"	.036" for T4 .036" for D5
NAIL HEM AND LOCK DESIGN	STUDfinder Installation System. RigidForm™ 170 Technology with DuraLock® Post-Formed Lock.	STUDfinder Installation System. GripLock™ Post-Formed Lock.	STUDfinder Installation System. Rollover Nail Hem. Post-Formed Lock.	V-Groove Lock.	Slip-Lock.	Post-Formed Lock.	Post-Formed Lock.	Post-Formed Lock.	Post-Formed Lock.	Post-Formed Lock.
COLORS <small>Consult Product Catalog (Item #CTS002) for color and style availability</small>	25	21	15	1	7	7	8	10	29 for T4 9 for D5 Center Vented available in Colonial White and Snow only.	6 for T4 T4 Center Vented, D5 Solid and D5 Fully Vented available in Colonial White only.
ACCESSORY POCKET SIZE	1/2" or 3/4"	1/2"	1/2"	5/8" or 1/2"	3/8"	3/4"	3/4" or 5/8"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"
WARRANTY	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited

* Vented soffits are for soffit use only.

2021


COLOR POCKET GUIDE

Polymer & Vinyl Siding




Siding


Cedar Impressions™ Shakes and Shingles




Northwoods™ Shakes and Shingles




CedarBoards™ Insulated Siding




Monogram™




Restoration Classic™



Board & Batten™ Vertical Siding



Carolina Beaded™



MainStreet™



Wolverine American Legend™




Encore™




Vinyl Carpentry® Soffit & Vertical Siding

Chamfer Board™




Beaded Triple 2"™




Triple 3 1/2"™



Perimeter Triple 3 1/2"™



Ironmax™ Double 5"



Universal Triple 4" & Double 5"™



Value Soffits



Consult product catalog (CTS002) for color and style availability.

Certainteed offers an industry-leading spectrum of colors including unique, darker shades and semi-transparent stained blends for virtually unlimited design possibilities.

COLORVIEW™
EXTERIOR STYLE & COLOR SELECTOR

Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help you "Visualize Your Home".
Start now at certainteed.com/colortools

PermaCOLOR™ LIFETIME FADE PROTECTION
PermaCOLOR™ system assures color performance, resistance and durability. Utilizing the newest technology and state-of-the-art formulations, Certainteed backs their vinyl siding with PermaCOLOR Lifetime Fade Protection.

Aluminum Trim Coil available in majority of Certainteed colors.

Colors throughout this brochure are simulated. Consult product samples before making final selection.

Consult product catalog (CTS002) for color and style availability.